

LABOKLIN GmbH&CoKG . Postfach 1810 .DE-97688 Bad Kissingen

Frau  
Reidun Foss  
Furuhogen 16  
6847 Vassenden  
Norwegen

### Report

No.: 1805-W-51879  
Date of arrival: 08-05-2018  
Date of report: 09-05-2018

Patient identification:	Dog	Male	* 01.02.18
	Pudel		
Owner / Animal-ID:	Foss, Reidun		
Type of sample:	EDTA-Blood		
Date sample was taken:	03-05-2018		

Name: **Spero**  
Stud book no.: **NO34666/18**  
Chip no.: **578098100624550NOR**  
Tattoo no.: **---**

### vWD Type I

Result: Genotype N/N

Interpretation: The examined animal is homozygous for the wildtype-allele. It does not carry the causative mutation for vWD Type I in the vWF-gene.

Trait of inheritance: autosomal-dominant with variable penetrance

Scientific studies found correlation between the mutation and symptoms of the disease in the following breeds: Bernese Mountain Dog, Coton de Tulear, Doberman, Drentse Patrijshond, German Pinscher, Kerry Blue Terrier, Manchester Terrier, Papillion, Pembroke Welsh Corgi, Poodle and Stabyhoun

### Sampling:

The sample of the animal was taken by the following official sampler (vet, breed warden etc.):

sample ID: 1805-W-51879



**Veterinaerkontoret i Foerde AS**

The current result is only valid for the sample submitted to our laboratory. The sender is responsible for the correct information regarding the sample material. The laboratory can not be made liable. Furthermore, any obligation for compensation is limited to the value of the tests performed.

There is a possibility that other mutations may have caused the disease/phenotype. The analysis was performed according to the latest knowledge and technology.

The laboratory is accredited for the performed tests according to DIN EN ISO/IEC 17025:2005. (except partner lab tests).

\*\*\* END of report \*\*\*

Hr.Dr. Beitzinger  
Dipl.-Biol. Molekularbiologie

**\* \* \* It's breeding season again \* \* \***

Bacteriological testing of cervical swabs offers important information on the clinical health of mares. Bacterial culture and identification of isolates and resistance testing by microdilution help in treating acute and subclinical infections.